CS61A, Fall 2000 Midterm #1 Professor Brian Harvey

Problem #1 (5 points):

What will Scheme print in response to the following expressions? If an expression produces an error message, you may just say error; you dont have to provide the exact text of the message. If the value of an expression is a procedure, just say procedure; you dont have to show the form in which Scheme prints procedures.

(let ((a 3) (b 4)) (lambda () (+ a b)))

(let ((a 3) (b 4)) ((lambda () (* a b))))

(every - (filter number? (the 1 after 909))); EVERY from homework 2

For the following, <u>also draw a box and pointer diagram</u> of the value produced by each expression.

(cons (a b) (list (c d) e))

(cddar ((a b c) (d e f) (g h i)))

Problem #2 (2 points)

(a) Indicate the order of growth in time of foo below:

```
(define (foo n)

(if (< n 2)

1

(+ (baz (- n 1))

(baz (- n 2)) ) ))

(define (baz n)

(+ n (- n 1)) )

_____Theta(1) ____Theta(n) ____Theta(n^2) ____Theta(2^n)
```

(b) Indicate the order of growth in time of garply below:

```
(define (garply n)
  (if (= n 0)
      0
      (+ (factorial n) (garply (- n 1)))))
(define (factorial n)
  (if (= n 0)
      1
      (* n (factorial (- n 1)))))
____Theta(1) ___Theta(n) ___Theta(n^2) ___Theta(2^n)
```

Problem #3 (2 points)

If an expression produces an error, just say "error": if it returns a procedure, just say "procedure."

Given the following definitions:

(define (mountain x) 'done) (define (dew) (dew))

Problem #4 (2 points)

```
(define (even? n)
(cond ((= n 0) #t)
((= n 1) #f)
(else (if (even ? (- n 2))
#t
#f))))
```

Does this procedure generate an iterative process or a recursive process?

If iterative, explain why in one sentence. If recursive, rewrite it, changing as little as possible, to make it generate an iterative process.

Problem #5 (4 points)

This question concerns the twenty-one game used in the first programming project. (Assume the version without jokers.)

(a) Write a procedure random-strategy that takes a *list of strategies* as its argument, and returns a strategy that randomly uses one of the strategies from the list each time it's called. You may use this helper procedure:

(define (pick seq) (list-ref seq (random (length seq))))

(b) Using the procedures every (from homework 2) and/or filter (from lecture), write a strategy called lovelorn that asks for an additional card if and only if there are no hearts in the hand.

Problem #6 (4 points)

The following partly-written procedure takes a *list of sentences* as its argument. It should return a sentence containing the first word of the first sentence, the second word of the second sentence, and so on. (Assume the sentences are long enough; don't add error checks.)

> (diagonal '((she loves you) (tell me why) (i want to hold your hand))) (she me to)

Fill in the blanks to complete the definitions correctly. **Respect the data abstraction:** use sentence procedures for sentences, list procedures for lists.



(define (chop lstsents); Remove first word from each sentence

(if (______lstsents) '() (______(____(____lstsents))) (chop (______lstsents)))))

Posted by HKN (Electrical Engineering and Computer Science Honor Society) University of California at Berkeley If you have any questions about these online exams please contact <u>examfile@hkn.eecs.berkeley.edu.</u>