

## CS 61A, Spring 97

## Midterm 1

Professor Harvey

**Problem #1 (7 points):**

What will Scheme print in response to the following expression? If an expression produces an error message or runs forever without producing a result, you may just say "error"; you don't have to provide the exact text of the message. If the value of an expression is a procedure, just say "procedure"; you don't have to show the form in which Scheme prints procedures. Assume that no global variables have been defined before entering these expressions, except where noted.

```
(se '(+ 2 3) (+ 2 3))
```

```
((lambda (x y z) (+ x 5)) 6 7)
```

; from ex. 1.32, p. 61

```
(accumulate se 0 (lambda (x) x) 3 (lambda (x) (+ x 1)) 5)
```

```
((if 3 - *) 23 2)
```

```
(a b c)
```

```
(let ((a 5) (b (+ a 3))) (* a a))
```

```
((lambda (f) (f f)) (lambda (f) f))
```

**Problem #2 (2 points):**

True or false?

A  $\theta(n \log n)$  algorithm is, for all large enough  $n$ , slower than a  $\theta(n^2)$  one. \_\_\_\_\_

For small size inputs the  $\theta$  order of an algorithm helps predict running time. \_\_\_\_\_

Function  $f$  below defines a linear iterative process:

```
(define (f a b c)
  (if (> a b)
      c
      (f (+ a 1) (- b 1) (+ c 1)))) _____
```

Function  $g$  below defines a linear iterative process:

```
(define (g a b c)
  (if (> a b)
      c
      (+ c (g (+ a 1) (- b 1) (+ c 1))))) _____
```

**Problem #3 (10 points):**

Write a function **stutter** that takes a word *w* and a number *n* and produces a function. This function takes a sentence *s* and for EVERY recurrence of the word *w* it reproduces it *n* times.

For example

```
(define porky (stutter 'th 3))
```

```
(porky '(th thats all ffolks))
```

evaluates to (th th th thats all folks). You may need to define a helper function, too.

#### Problem #4 (8 points):

```
(define (ss k)
  (define (tt k r)
    (if (empty? k)
        r
        (tt (bf k) (se (first k) r))))
  (tt k '(d)))
```

Write out (or "trace") the succession of calls to *ss* and *tt*, and their return values as Scheme evaluates the expression `(ss '(a b c))`.

Is the process traced out with *tt* linear iterative?

#### Problem #5 (12 points):

Sometimes you want to reduce a collection of elements by operating on them in pairs, starting from the right, and given an end-value when there is only one element left. For example `(reduce + '(2 5 6) 0)` is meant to compute `(+ 2 (reduce '(5 6) 0))` which is, in turn, equivalent to `(+ 2 (+ 5 (reduce '(6) 0)))` which is `(+ 2 (+ 5 (+ 6 0)))` which is `(+ 2 (+ 5 (+ 6 0)))` or 13.

You may need a few extra "helper" procedures to complete these programs. Use the reverse of this page if you need more space.

- A. Define the procedure `(reduce f s e)` illustrated above that takes as its argument another procedure *f*, a sentence *s*, and an end-value *e*. Procedure *f* should take two arguments.
- B. Use `reduce` to reverse the order of words in a sentence. That is, define a procedure `reverse-by-reduce` that given `(hello good bye)` returns `(bye good hello)`.
- C. Use `reduce` to find a word with the largest number of letters in a given sentence. That is, define a procedure `longest` that given `(two three five)` returns `three`.
- D. Use `reduce` to find the minimum number in a given sentence *r*. That is, define a procedure `minimum` that given `(0 -500 30)` returns `-500`. If *r* is empty, return the word `error`.

**Posted by HKN (Electrical Engineering and Computer Science Honor Society)**

**University of California at Berkeley**

**If you have any questions about these online exams**

**please contact [examfile@hkn.eecs.berkeley.edu](mailto:examfile@hkn.eecs.berkeley.edu).**